Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1.-18. (Cancelled).
- 19. (Currently amended) A computer system, comprising:
 - a plurality of computer components;
 - a plurality of biometric sensors;
 - a <u>remotely located</u> control unit coupled to said <u>plurality of biometric</u> sensors; and
 - a plurality of locks coupled to and controlled by said control unit;
 - wherein each of said plurality of biometric sensors and said-locks are associated with corresponding a computer components and said plurality of locks prevents said plurality of computer components from being removed from said computer system unless authorized by the remotely located control unit.
- 20. (Currently amended) The computer system of claim 19 wherein <u>at least</u> one or more of said <u>plurality of biometric sensors</u> comprises a fingerprint scanner.
- 21. (Currently amended) The computer system of claim 19 wherein at least one or more of said biometric sensors comprises an iris scanner.
- 22. (Currently amended) The computer system of claim 19 wherein one or more of said <u>plurality of locks</u> comprises an electromechanical lock.
- 23. (Currently amended) The computer system of claim 19 further including a registry stored in memory accessible by said control unit, said registry including a

biometric template for each person authorized to unlock one or more of the plurality of a locks.

- 24. (Currently amended) The computer system of claim 23 wherein said control unit verifies the authenticity of a person that has activated a one of the <u>plurality of biometric sensors</u> by using the templates stored in said registry.
- 25. (Currently amended) The computer system of claim 24 wherein said control unit unlocks a-one of the plurality of locks if said control unit successfully verifies the authenticity of a person.
- 26. (Currently amended) The computer system of claim 23 wherein said control unit maintains a-the lock in a locked state if said control unit cannot verify the authenticity of a person.
- 27. (Currently amended) The computer system of claim 19 wherein <u>each of</u> said <u>plurality of biometric sensors</u> is associated with <u>a corresponding one of said</u> a-plurality of computer components.
- 28. (Currently amended) A security method for a computer system including a plurality of computer components each including an associated biometric sensor and a control unit coupled to the plurality of biometric sensors, comprising:
 - (a) using a <u>one of the biometric sensors</u> to verify the authenticity of a person; and
 - (b) sending a signal to the control unit in order to verify the person; and
 - (c) permitting use of a-the computer component associated with the biometric sensor used in (a) if the person is successfully verified by the control unit.
- 29. (Currently amended) The method of claim 28 wherein <u>at least one of said</u> biometric sensors comprises a fingerprint sensor.

143165.02/1662 40800

Page 3 of 11

HP PDNO 200302163-1

- 30. (Currently amended) The method of claim 28 wherein at least one of said biometric sensors comprises an iris scanner.
- 31. (Currently amended) The method of claim 28 wherein <u>at least one of said</u> computer component comprises a storage device.
- 32. (Currently amended) The method of claim 28 wherein <u>at least one of said</u> computer components comprises a storage device and (b) includes permitting a user to read data from said storage device.
- 33. (Currently amended) The method of claim 28 wherein <u>at least one of said</u> computer components comprises a storage device and (b) includes permitting a user to write data to said storage device.
- 34. (Currently amended) The method of claim 28 wherein <u>at least one of said</u> computer components comprises a storage device and (b) includes permitting a user to read data from and write data to said storage device.
- 35. (Currently amended) The method of claim 28 wherein <u>at least one of said</u> computer component comprises a CD ROM.
- 36. (Currently amended) The method of claim 28 wherein <u>at least one of said</u> computer component comprises a hard disk drive.
- 37. (Currently amended) The method of claim 28 wherein (a) is performed when a software program needs to access one of said computer components.
- 38. (Currently amended) The method of claim 37 wherein <u>at least one of said</u> computer components comprises a storage device.

- 39. (Original) The method of claim 28 further including:
 - (d) associating a person with use of a computer component.
- 40. (Original) The method of claim 39 wherein (d) includes acquiring a biometric image from said person and associating a security access code with said biometric image.
- 41. (Currently amended) A biometric access system for a computer system that includes a plurality of computer devices, comprising:
 - a <u>plurality of biometric sensors</u>, each of said plurality of biometric sensors associated with one of said plurality of computer devices;
 - a control unit coupled to said <u>plurality of biometric sensors</u>, said control unit controlling <u>logical</u> access to a-the <u>plurality of computer devices</u> in said computer system based on a-signals from <u>one or more of said biometric sensors</u>.
- 42. (Currently amended) The biometric access system of claim 41 wherein <u>at least one of said plurality of biometric sensors</u> comprises a fingerprint scanner.
- 43. (Currently amended) The biometric access system of claim 41 wherein at least one of said biometric sensors comprises an iris scanner.
- 44. (Currently amended) The biometric access system of claim 41 wherein said control unit permits a person to access one of said plurality of computer devices based on a signal from the said biometric sensor associated with the computer device that the person is trying to access.
- 45. (Currently amended) The biometric access system of claim 41 wherein said control unit prevents a person from accessing one of said plurality of said computer devices based on a signal from its associated said-biometric sensor.

- 46. (Original) The biometric access system of claim 41 further including a registry accessible by said control unit, said registry including biometric templates of people that are permitted use of various of said computer devices.
- 47. (Original) The biometric access system of claim 46 wherein said control unit verifies the authenticity of a person that has activated a biometric sensor by using the templates stored in said registry.
- 48. (Currently amended) The biometric access system of claim 47 wherein said control unit permits a user to use <u>one of said a plurality of computer devices</u> if said control unit successfully verifies the authenticity of a person.
- 49. (Currently amended) The biometric access system of claim 48 wherein <u>at least one of said plurality of computer devices</u> comprises a storage device.
- 50. (Currently amended) The biometric access system of claim 47 wherein said control unit prevents a user from using one of said plurality of a computer devices if said control unit cannot verify the authenticity of the person.
- 51. (Currently amended) The biometric access system of claim 41 wherein said-at least one of the computer devices comprises a storage device.
- 52.-63. (Cancelled).
- 64. (Currently amended) A security system for a computer system comprising a plurality of computer equipment, said security system comprising:
 - a plurality of biometric sensors;
 - a control unit coupled to said plurality of biometric sensors; and
 - a <u>plurality of locks</u> <u>associated with one of said plurality of biometric</u>
 <u>sensors, the plurality of locks</u> coupled to and controlled by said control unit;

143165.02/1662.40800 Page 6 of 11

HP PDNO 200302153-1

- wherein <u>each of said plurality of biometric sensors</u> and said <u>plurality of locks</u> are associated with one of said plurality of computer equipment <u>comprising said computer system</u>, <u>each of said locks</u> preventing <u>its corresponding said computer equipment from being removed from said computer system and said lock can be unlocked upon a person being authenticated <u>by the control unit via said its corresponding biometric sensor</u>, and wherein said computer equipment can not be used unless a person is authenticated using said biometric sensor.</u>
- 65. (New) A security system as defined in claim 64, wherein the control unit is located remotely from the computer system.
- 66. (New) A security system as defined in claim 64, further comprising: a rack for holding the plurality of computer equipment.
- 67. (New) A security system as defined in claim 66, wherein the plurality of locks help secure each of the plurality of computer equipment to the rack.
- 68. (New) A security system as defined in claim 64, wherein the plurality of computer equipment comprise a plurality of servers.
- 69. (New) A security system as defined in claim 65, further including a registry stored in memory accessible by said control unit, said registry including a template for each person authorized to unlock one or more of the plurality of locks.
- 70. (New) A security system as defined in claim 69, wherein said control unit verifies the authenticity of a person that has activated one of

the plurality of biometric sensors by using the templates stored in said registry.

71. (New) A security system as defined in claim 64, wherein the biometric sensor is selected from among a fingerprint sensor and an iris scanner.